

The **PRECISION** you
require with the
VERSATILITY you need
to be successful



Radiofrequency Energy Sources & Accessory Products

Dermatology

Ear, Nose, and Throat (ENT)

Facial Plastic

General Surgery

Gynecology

Ophthalmology / Oculoplastics

Oral / Maxillofacial Surgery

Plastic Reconstructive



Primary Care

Podiatry

Proctology



Radiofrequency (CRF) Energy Sources	4
Five Distinct Waveforms	4
Pellevé® S5	5
Surgitron® Dual RF™ S5	6
Surgitron® Dual RF™ and Surgitron® Dual/EMC	7
AcuSect™	8
Surgitron® FFPF EMC	8
RF Accessories	9
Neutral Plates	9
Footswitches	10
Cables	11
Surg-e®-Doc™	12
EMC Device Accessories	13
Handpieces	15
Bipolar Forceps	17
Bayonet Bipolar Forceps	19
ACe-Tip™ Non-Stick Forceps	20
RF Electrodes	22
Sterile/Single-Use Electrodes	23
Empire® microIncision™ Needles	24
Reusable Electrodes	26
ACe-Tip™ Electrodes	31
Electrode Sets	32
Electrode Accessories	34
Educational Materials	35
Patient Education Brochures	35
Pellevé® Marketing Kits	35
Laser Office Pull Up Banners	35
Pellevé® Posters	35
Pellevé® Before & After Book	35
Smoke Evacuation System	36
Accessories	37
Multi Specialty Accessories	38
Otorhinolaryngology (ENT)	39
General Surgery/Proctology	46
Gynecology	47
Plastic Surgery	49
Dermatology	51
Pellevé® Wrinkle Reduction System	52
Ophthalmology/Oculoplastics	53
Family Practice/Podiatry	55
Index	56



RADIOFREQUENCY ENERGY SOURCES


5 Distinct Waveforms

1

Cut (Fully Filtered)



- Micro-smooth cutting
- Negligible lateral heat
- Minimal cellular destruction
- Best cosmetic results. Fastest healing^{1,2}
- Ideal for skin incision and biopsy




2

Blend (Cut/Coag) (Fully Rectified)



- Cutting with hemostasis
- Ideal for sub-cutaneous tissue dissection and planing. Especially useful in vascular areas while producing minimal amounts of lateral heat and tissue damage




3

Coag (Hemo) (Partially Rectified)



- Coagulation / Shrinkage
- Hemostasis with controlled penetration
- Ideal for cutting with hemostatic control




4

Fulguration




- Maximum penetration and hemostasis
- Ideal for intentional tissue destruction



5


Bipolar

- Pinpoint, micro-coagulation
- Minimal tissue adherence to forceps
- Minimal charring or tissue necrosis
- Ideal for coagulation in and around critical anatomy



ellman's radiofrequency technology has received worldwide acclaim and recognition from leading surgeons, clinics, universities and authors.

TRANSMISSION ELECTRON MICROSCOPY SHOWING LATERAL THERMAL DAMAGE ON HUMAN OVIDUCTS BY DIFFERENT INSTRUMENTS



Reference - Oilvar, AC, et al, Ann Clin Lab Sci. 1999 Oct-Dec; 29(4): p281-5.

The ellman® radiofrequency RF source represents advanced radiowave technology that provides outstanding surgical control, precision and versatility. Clinical benefits include reduced post-operative discomfort, minimal scar tissue formation, enhanced healing and excellent cosmetic results.

Clinical Citations

1. Bridenstine, J.B., Derm Surgery (1998); vol 24, p397-400
2. Aferzon, M. Derm Surgery (2002); vol 28, p735-738

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RADIOFREQUENCY ENERGY SOURCES

Pellevé® S5

Magnified view
of Pellevé® S5
screen



Pellevé® S5 RF Energy Source

Versatility with the proven Surgitron® platform

The Pellevé® S5 System is a newly enhanced Pellevé-branded version of our proven Surgitron® Dual RF™ S5, providing maximum control in precision cutting and energy delivery, plus more versatility than other energy-based technologies, including:

- GlideSafe® Wrinkle Treatment Handpieces for skin tightening (see page 52)
- Hundreds of surgical electrodes and accessories for most specialties
- Ideal for office and clinic environments

Powered by advanced radiofrequency technology, the patented Pellevé® S5 energy source provides unparalleled surgical PRECISION in soft tissue cutting and coagulation.

The high frequency of 4.0 MHz minimizes thermal tissue damage along the incision path.

The S5 offers complete VERSATILITY, with more options for use in surgical and aesthetic procedures than other energy-based platforms and includes the Pellevé® Wrinkle Reduction System, a revolutionary tool for the non-ablative treatment of mild to moderate facial wrinkles.

The patented Pellevé® S5 redefines your surgical results with two distinct frequencies – 4.0 MHz (Monopolar) and 1.7 MHz (Bipolar) – for outstanding precision and control. The Pellevé® S5 and Surgitron® Dual RF™ S5 are the only Ellman energy sources compatible with GlideSafe® Wrinkle Treatment Handpieces.

See page 36 for Cart and Accessories
See page 52 for GlideSafe® Handpieces

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

Pellevé® S5 – IEC

*Item # IEC5P-ST

Shipped complete with:

*IEC-PC110 (for 110v) power cord

*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use Cables
IEC-NPD	IEC Neutral Plate Sterile/Single-Use
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H79	Handpiece Clip
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DIM-92-55	Instruction Manual (USA)
DIM-92-56	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

*(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)

RADIOFREQUENCY ENERGY SOURCES

Surgitron® Dual RF™ S5



Surgitron® Dual RF™ S5 RF Energy Source

Powered by advanced radiowave technology, the patented Surgitron® Dual RF™ S5 energy source provides unparalleled surgical PRECISION in soft tissue cutting and coagulation. The high frequency of 4.0 MHz minimizes thermal tissue damage along the incision path¹.

The S5 offers complete VERSATILITY, with more options for use in surgical and aesthetic procedures than other energy-based platforms,² and including Pelleve™ accessories, revolutionary tools for the non-ablative treatment of mild to moderate facial wrinkles.

The patented Surgitron® Dual RF™ S5 redefines your surgical results with two distinct frequencies – 4.0 MHz (Monopolar) and 1.7 MHz (Bipolar) – for outstanding precision and control.

The Surgitron® Dual RF™ S5 and the Pelleve® S5 RF energy sources are the only Ellman energy sources compatible with GlideSafe® Wrinkle Treatment Handpieces.

See page 36 for Cart and Accessories
See page 52 for GlideSafe® Handpieces

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

Surgitron® Dual RF™ S5 – IEC

*Item # IEC5-S30

Shipped complete with:

*IEC-PC110 (for 110v) power cord

*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use Cables
IEC-NPD	IEC Neutral Plate Sterile/Single-Use
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H79	Handpiece Clip
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DIM-50-48	Instruction Manual (USA)
DIM-92-52	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

*(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)

RADIOFREQUENCY ENERGY SOURCES

Surgitron® Dual RF™ 120



Surgitron® Dual RF™ 120 RF Energy Source 120

The patented Surgitron® Dual RF™ generator for those doctors wanting to perform advanced surgical procedures, but are not interested in wrinkle treatment. The high frequency of 4.0 MHz minimizes heat dissipation and thus cellular alteration. The system generates 120 watts of power and operates at 4.0 MHz in monopolar mode and 1.7 MHz in bipolar mode.

Surgitron® Dual/EMC 90



Surgitron® Dual/EMC 90 RF Energy Source 90

(INTERNATIONAL ONLY. Not available in USA)

The system generates 90 watts and operates at 4.0 MHz in monopolar mode and 1.7 MHz in bipolar mode.

Surgitron® Dual RF™/120 IEC

*Item # IEC3A-S30

Shipped complete with:

*IEC-PC110 (for 110v) power cord

*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use
IEC-NPD	IEC Neutral Plate, Sterile/Single-Use Cables
IEC-NPC	IEC Neutral Plate
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H79	Handpiece Clip
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DIM-92-51	Instruction Manual (USA)
DIM-92-52	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

Surgitron® Dual/EMC/90

*Item # IEC3a-S30-90

Shipped complete with:
with same accessories as above.

*(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RADIOFREQUENCY ENERGY SOURCES

AcuSect®



AcuSect® RF Energy Source

The AcuSect® radiosurgical energy source delivers advanced radiowave technology providing outstanding surgical control, precision and versatility. The high frequency of 4.0 MHz minimizes heat dissipation, and thus cellular alteration, while cutting and coagulating soft tissues. AcuSect® is the ideal solution for your office-based minor surgical procedures. The system generates 50 watts of power and operates at 4.0 MHz in 3 monopolar modes (Cut/Cut-Coag/Hemo) and 1 bipolar mode (Hemo).

Surgitron® FFPF EMC



Surgitron® FFPF EMC RF Energy Source

The **ellman**® Surgitron® FFPF EMC cuts and coagulates soft tissue using monopolar energy. This system generates 90 watts of power and operates at 3.8 MHz

AcuSect®

***Item # ACS-S50/110**

Shipped complete with:

FTSW-2PC	Footswitch 2 Pedal Compact
IEC-1FHPA	One-Button Fingerswitch HP
IEC-HP1	Foot-Controlled Handpiece
IEC-NPC	Neutral Plate
IEC-BC/1	Minor Surgery Bipolar Cable (3pcs)
"J" Series	Bipolar Forceps (Item number determined by selection) see page 17 & 18
DSEP40	Medical Electrode Assortment

NOTE: Included accessories may vary by country and/or by special packages.

Surgitron® FFPF EMC S10B

***Item # EMC 110A** (for 110v) Power Cord

***Item # EMC 220A** (for 220v) Power Cord

Shipped complete with:

HP1	Foot-Controlled Handpiece with Locking Chuck
H4	EMC Neutral Plate
*PC	EMC Power Cord
Standard electrode set, reusable (7pcs)	
EMCL1	Operating Manual
H79	Handpiece Clip

NOTE: Included accessories may vary by country and/or by special packages.

**(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)*

For orders and/or pricing information, please call **ellman**® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Neutral Plates

IEC Neutral Plate

IEC-NPC

Reusable, coated

For Dual RF™, AcuSect™ and RadioLase® Devices
(1 pc)



IEC Disposable Neutral Plate-Standard Size

IEC-NPD

Single-Use

For Dual RF™, S5, AcuSect™ and RadioLase® Devices
(25 pcs)



IEC Disposable Neutral Plate-Small Size

IEC-NPD-S

Single-Use

For Dual RF™, S5, AcuSect™ and RadioLase® Devices
(25 pcs)



EMC Neutral Plate

H4

Reusable, coated

For the EMC Device
(1 pc)



With the **ellman®**
Reusable Neutral Plate,
no skin contact required.

The **ellman®** Single-Use Neutral Plate is a sensing, pre-gelled, self-adhering, dispersive pad. The effective electrodes are two aluminum oil conductors, covered by a hydrogel conductive adhesive. The conductive hydrogel provides a low-current density return path from the patient to the RF Device while the two foils provide a means of sensing contact quality.

Footswitches

Dual Frequency Footswitch and Cable

DF-FSC#

For Surgitron® Dual RF™ and S5 Devices
(1 pc)



Single-Action Bipolar Footswitch and Cable

DF-FSC/3

For Surgitron® Dual RF™ and S5 Devices
(1 pc)



Footswitch, 2 Pedal, Compact

FTSW-2PC

For AcuSect™ and RadioLase® Devices
(1 pc)



Pneumatic Footswitch

SVFSC

For use with Surg-e®-Vac™
Smoke Evacuation System
(1 pc)



RF ACCESSORIES

Cables

Bipolar Cable

IEC-JX/B

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)

IEC-BC

Sterile/Single-Use

Minor Surgery Bipolar cable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (5 pcs)

JX

Reusable

For use with EMC Devices (1 pc)

JX/E

Reusable

For use with EMC Device (1 pc)

Quick-Connect™ Cable

For use with Suction Tonsil and Suction Adenoid Probes, Disposable Suction Coagulator, Mono Stan RF Forceps, and Rodin™ Micro Surgery handpiece.

IEC-SP020

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)

SP020

Reusable

For use with EMC Device (1 pc)

Snare Cable

For use with Polyp Snare™

IEC-H7B

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)

H7B

Reusable

For use with EMC Device (1 pc)

Lap/Endo Monopolar Cable

IEC-UC

Reusable

For use with Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)
Monopolar cable for Endoscopic instruments



For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Surg-e®-Doc™



Surg-e®-Doc™ SDS30

The Surg-e®-Doc™ offers the following advantages:

Extra Monopolar port

The Surg-e®-Doc™ offers the ability to utilize an extra monopolar port. This added versatility eliminates the need to change monopolar electrodes within the same handpiece during a procedure.

Simultaneous activation of Surg-e®-Vac™

The Surg-e®-Doc™ extends the life of the vacuum unit by automatically activating the Surg-e®-Vac™ only when the RF energy source is activated. Moreover, the Surg-e®-Vac™ will continue vacuuming for 5 seconds after the RF energy source is deactivated. This allows for automatic removal of residual plume.

Less Clutter

The Surg-e®-Doc™ eliminates the need for separate footswitch activation of Surg-e®-Vac™. This reduces clutter since the only footswitch needed is that of the RF energy source.

RF ACCESSORIES

Adapters for Surgitron® EMC

Universal Fingerswitch Adapter

EMCKA

Reusable

For use with EMC Device, handpiece not included
(1 pc)



1-Button Fingerswitch Handpiece with Locking Chuck

XK01

Reusable

For use with EMC Universal Fingerswitch Adapter
(2 pcs)



EMC Universal
Fingerswitch Plug

The ellman® Universal Fingerswitch Adapter plugs into the side of your Surgitron® FFPF EMC. The adaptor eliminates the need for a foot pedal. The standard foot-controlled handpiece is still operational.

RF ACCESSORIES

For Surgitron® FFPF EMC

EMC Steri Caps™

EMCH35

Reusable

Steri Cap™ (3 for large dial and 3 for small dial) for use with EMC only, 3-Blue and 3-Black (6 pcs)




Steri Caps™ enable you to control in total sterility with autoclavable protective dial covers.

Bipolar Converter

EMCH95A

For use with EMC Device (1 pc)



The Bipolar Converter provides the surgeon the convenience of switching the **ellman® Surgitron® EMC** from the Handpiece in monopolar mode to the Bipolar Forceps mode with the simple flick of a switch. This eliminates the need to plug and unplug the cords during surgery.

Bipolar Converter Steri Caps™

H96

Caps for activation switch for use with Bipolar Converter (3 pcs)



Wall Bracket

HH

Wall Bracket with hardware. For use with EMC only Swivel arm and swivel plate. (1 pc)



The Wall Bracket space saving accessory attaches easily to any vertical surface. The **ellman®** Wall Bracket will support up to 40 lbs. and is ideal for the Surgitron® EMC.

For orders and/or pricing information, please call **ellman®** at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Handpieces



3-Button Fingerswitch Handpiece with Locking Chuck

IEC-X3FHPB

Reusable (2 pcs)
Accepts 1/16" and 3/32" Shaft Electrodes
For Surgitron® Dual RF™ and S5 Devices



Sterile 3-Button Fingerswitch Handpiece with Locking Chuck

IEC-3FHPB/D

Sterile/Single-Use (10 pcs)
Accepts 1/16" and 3/32" Shaft Electrodes
For Surgitron® Dual RF™ and S5 Devices



3-Button Fingerswitch Blade Handpiece with Locking Chuck

IEC-XBHP3

Reusable (2 pcs)
Accepts Sterile/Single-Use Blades (assorted surgical blades including #10, and #15)
and 1/16" Electrode
For Surgitron® Dual RF™ and S5 Devices



1-Button Fingerswitch Handpiece with Locking Chuck

XK01

Reusable (2 pcs)
Accepts 1/16" and 3/32" Shaft Electrodes
For Surgitron® EMC Device



1-Button Fingerswitch Handpiece with Locking Chuck

IEC-X1FHPA

Reusable (2 pcs)
Accepts 1/16" and 3/32" shaft electrodes
One button fingerswitch handpiece for AcuSect™ and RadioLase® Devices

The **ellman®** handpiece is ergonomically designed to fit comfortably in your hand therefore maximizing productivity by reducing operator fatigue and discomfort.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Handpieces



3" Length Handpiece with Patented Locking Chuck

IEC-XLP1

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

3" Length, Accepts 1/16" and 3/32" shaft, for Laparoscopy and Micro-Larynx probes (2 pcs)



microInsulated Needle Handpiece with Locking Chuck

IEC-XH136 – For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (2 pcs)

XH136 – For Surgitron® EMC Device (2 pcs)

Reusable (1 pc). Smaller orifice for insertion of **ellman®**

microInsulated needles only (Cat. No. H137 & H1375)

Included in Cosmetic Treatment package (see page 51)



Blade Handpiece with Locking Chuck

IEC-H15 – Accepts 1/16" Shaft. For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

H15 – Accepts 1/16" Shaft. For Surgitron® EMC Device

IEC-QH15 – Accepts 3/32" Shaft. For Surgitron® Dual RF

QH15 – Accepts 3/32" Shaft. For Surgitron® EMC

Reusable (1 pcs). Foot Pedal activation

For use with assorted surgical blades including #10, and #15



Foot-Controlled Handpiece with Locking Chuck

IEC-XHP1 – For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

XHP1 – For Surgitron® EMC Device

Reusable (2 pcs). Accepts 1/16" and 3/32" shaft



Rodin® Microsurgery Handpiece

XRHP – Length (3.895") 98.93mm, Width (.460") 11.68mm

Reusable (2 pcs). To be used with IEC Quick-Connect™ Cable

Accepts 1/16" Shaft. For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

(See page 11 for Quick-Connect™ Cable, Cat. No. IEC-SP020)

(See page 33 for Rodin™ Microsurgery Ace-Tip™ Electrode Set, Cat. No. RACE7)

RODIN® 1

Rodin® RF Microsurgery Set

One RHP Rodin® Microsurgery Handpiece, one IEC-SP020 Quick-Connect™ Cable, one RACE7 Rodin® Microsurgery Ace-Tip™ Set, and instructions for use.



Surgitron® EMC
(Monopolar)



Surgitron® Dual RF™, S5 and
RadioLase® (Monopolar)

Separate plugs are used in accordance with the corresponding device, the Surgitron® Dual RF™, S5 RadioLase® and the Surgitron® EMC.

For orders and/or pricing information, please call **ellman®** at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Bipolar Forceps



J1 Length 9.5cm, (3.7"), Diameter 0.4mm, Straight Tip



J1B Length 9.5cm, (3.7"), Diameter 0.4mm, Bent Tip



J2 Length 9.5cm, (3.7"), Diameter 0.3mm, Curved Flat/Angled Tip



J3 Length 7.8cm, (3"), Diameter 0.4mm, Angled Tip



J4 Length 7.8cm, (3"), Diameter 0.3mm, Straight Tip




J5 Length 9.2cm, (3.6"), Diameter 0.3mm, Bent Tip



J8 Length 16.3cm, (6.4"), Diameter 1.0mm, Straight Tip

Note: Tip dimensions are approximate.

ellman® Bipolar Forceps
provide clean wet-field
coagulation.



For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Bipolar Forceps



J9 Length 16.2cm, (6.4"), Diameter 1.0mm, Straight Tip




J10 Length 16.2cm, (6.4"), Diameter 2.0mm, Straight Tip



J11 Length 12.2cm, (4.8"), Diameter 0.4mm, Straight Tip



J12 Length 10.9cm, (4.3"), Diameter 1.0mm, Straight Tip




Magnified view

J14 Length 10.8cm, (4.3"), Diameter 0.7mm, Straight Tip, Insulated, Inner 1mm Exposed



J19 Length 13.6cm, (5.4"), Diameter 2.0mm, Straight Tip



EMC Bipolar Cord
(see page 8)




Surgitron® Dual RF™, S5,
and RadioLase® Bipolar
Cord (see page 8)

Note: Tip dimensions are approximate.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ACCESSORIES

Bayonet Bipolar Forceps




J7 Length 17.3cm, (6.8"), Diameter 1.0mm, Bayonet, Flat Tip

J7U Length 17.3cm, (6.8"), Diameter 1.0mm, Bayonet, 45° Up, Flat Tip

J7D Length 17.3cm, (6.8"), Diameter 1.0mm, Bayonet, 45° Down Flat Tip



J13 Length 15.6cm, (6.1"), Diameter 1.0mm, Bayonet, non-stick epistaxis, Serrated Tip



2 Magnified views of J17 Tips (single external tip insulated)



J17 Length 17.9cm, (7"), Diameter 1.0mm, Bayonet, single external tip insulated



J18 Length 16.9cm, (6.0"), Diameter 0.5mm, Bayonet




J20 Length 16.6cm, (6.5"), Diameter 2.0mm, Bayonet



J21 Length 19.7cm, (7.8"), Diameter 1.0mm, Bayonet

Note: Tip dimensions are approximate.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com




ellman® Bayonet Bipolar Forceps enhance access to the surgical environment for increased visibility during radiosurgical procedures.

RF ACCESSORIES

ACe-Tip™ Non-Stick Forceps


Featuring Advanced Composition Alloy “Non-Stick”, Low Temperature



Magnified view

ACBF-010


Length 8.9cm, (3.5”), Diameter 0.5mm, Straight Tip



Magnified view

ACBF-011


Length 8.9cm, (3.5”), Diameter 0.5mm, Bent Tip



Magnified view

ACBF-012


Length 11.4cm, (4.5”), Diameter 0.5mm, Straight Tip



Magnified view

ACBF-013

Length 14.0cm, (5.5”), Diameter 0.5mm, Straight Tip



Magnified view

ACBF-014

Length 15.9cm, (6.25”), Diameter 0.5mm, Straight Tip

ACe-Tip™ Technology
Advantages:*

- Minimal adherence of tissue
- Low absorption
- Tissue preservation



Note: Tip dimensions are approximate.


For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

*Data on file.
FDA Submission Packet
510 (k) K071343

RF ACCESSORIES

ACe-Tip™ Non-Stick Forceps


Featuring Advanced Composition Alloy “Non-Stick”, Low Temperature



Magnified view




ACBF-015 Length 17.8cm, (7.0”), Diameter 0.7mm, Straight Tip



Magnified view




ACBF-016 Length 17.8cm, (7.0”), Diameter 1.2mm, Straight Tip



Magnified view




ACBF-017 Length 17.8cm, (7.0”), Diameter 1.5mm, Straight Tip



Magnified view



ACBF-021 Length 16.5cm, (6.5”), Diameter 1.0mm, Bayonet, Serrated Tip



Magnified view



ACBF-022 Length 18.4cm, (7.25”), Diameter 1.0mm, Bayonet Tip




Note: Tip dimensions are approximate.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com




ACe-Tip™ Non-Stick Bipolar
Forceps clinical photos

Electrodes



Proximal Shaft Diameter



Super Fine - Used when minimal tissue alteration is desired (Diam. 0.005")

Fine - Used when less tissue alteration is desired (Diam. 0.007")






Regular - Used to produce more coagulation (Diam. 0.009")

ABOUT

ellman® Electrodes:

The insulated shaft of most electrodes can be bent or contoured for all surgical procedures.

(Note: Empire microIncision™ Sterile Needles are not bendable)

-
-  **Yellow** electrode tips are Sterile/Single-Use disposables
 -  **Blue** electrode tips are re-usable
 -  **Orange** electrode tips are re-usable
 -  **Purple** electrode tips are re-usable
 -  **White** electrode tips are a mixture of re-usable and disposable.
- See product catalog for details
-

INFORMATION

Regarding Ordering Electrodes:

Code To Electrode Suffixes:

- B- Bendable
- D- Disposable (Sterile/Single-Use)

Code To Electrode Prefixes:

- T- Package of (2 pcs)
- X- Package of (5 pcs) (Not all items available in 5-packs)

Most electrodes are available in 1/16" or 3/32" shaft sizes.
 Use "Q" as a prefix when ordering 3/32" shaft size, i.e. QTA8B
 Longer electrode shaft sizes may be available.
 Custom sizes may be requested. (Minimum quantity of 10 each)
 Contact **ellman's** sales representatives for more details.

Proximal shaft diameter is available in 3/32" or 1/16" (2.4mm or 1.6mm) to accommodate standard handpiece connection.

RF ELECTRODES

Sterile/Single-Use Electrodes

Medical Electrode Set

DSEP40

Sterile/Single-Use

Assortment of 8 styles,












RF electrodes, available in 1/16" Shaft Only (40 pcs per pack)

Includes 5 of each electrode:

A2D, A8D, B1D, B2D, C3D, D8D, E3D, F1D

Sterile/Single-Use Electrodes

Available in 1/16" Shaft Only (25 pcs per pack)

	A2D	Fine Wire Electrode 3/8" Length
	A3D/OS	Needle Electrode 3/4" Length
	A8D	Vari-Tip™ Wire Electrode Adjustable cutting wire
	B1D	Round Loop Electrode 1/4" Dia.
	B2D	Round Loop Electrode 3/8" Dia.
	C3D	Diamond Loop Electrode 3/16" Dia.
	D8D	Ball Electrode 2.3 mm
	E3D	Scalpel Electrode 1" Length
	E4D	Scalpel Electrode 1/2" Length
	F1D	Broad Needle Electrode
	133D	Pin Electrode 1/8" Length

The **ellman**® Sterile/Single-Use

RF electrode eliminates the

risk of cross contamination

as well as ensuring

consistent performance and

patient confidence.


For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF ELECTRODES

Empire® microIncision™ Needles

Empire® microIncision™ Needle Electrodes

Sterile/Single-Use, available in 1/16" or 3/32" (2 per pack)
Use "Q" as a prefix when ordering 3/32" shaft size



Magnified view for all
Empire microIncision™
*Except TEE328 5mm




TEE301
Length 3cm, straight




TEE302
Length 4cm, straight



TEE303
Length 5cm, straight



TEE304
Length 2cm, 90° angle shaft



TEE305
Length 3cm, 45° angle shaft



TEE306
Length 4cm, 45° angle tip



TEE307
Length 3cm, 45° angle tip



TEE308 Length 9cm, straight




TEE309 Length 12cm, straight



TEE310 Length 14cm, straight



TEE311 Length 17cm, straight



TEE312 Length 9cm, 45° angle tip



TEE313 Length 12cm, 45° angle tip



TEE314 Length 14cm, 45° angle tip



TEE315 Length 17cm, 45° angle tip

The ellman® Empire®
microIncision™ Needle
Electrodes deliver focused
High Frequency Radiowave
energy.

Empire® microIncision™
Needle Electrodes are used for
precise cutting and coagulation
during radiosurgical procedures.
Proximal shaft diameter is
available in 3/32" or 1/16"
(2.4mm or 1.6mm) to
accommodate standard
handpiece connection.
Empire® microIncision™
Needle Electrodes are supplied
in individual sterile packages
of two, are Single-Use and
should not be re-sterilized.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com


RF ELECTRODES

Empire® microIncision™ Needles


Empire® microIncision™ Needle Electrodes

Sterile/Single-Use, available in 1/16" or 3/32" (2 per pack)

Use "Q" as a prefix when ordering 3/32" shaft size



Magnified view for all
Empire microIncision™
*Except TEE328 5mm



TEE316 Length 10cm, 45° angle shaft



TEE317 Length 13cm, 45° angle shaft



TEE318 Length 15cm, 45° angle shaft




TEE319 Length 18cm, 45° angle shaft



TEE320 Length 9cm, curved



TEE321 Length 11cm, curved



TEE322 Length 14cm, curved




TEE323 Length 16cm, curved




TEE324 Bayonet Length 9cm




TEE325 Length (2"), 5cm, curved shaft



TEE327 Length (3/4"), 1.9cm, straight



TEE326 Length (1"), 2.5cm,
40 degree curved shaft



TEE328 Length (1"), 2.5cm,
30 degree curved shaft

Note:
1 inch=2.54cm



Upper Lid Blepharoplasty



For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF REUSABLE ELECTRODES

Reusable Electrodes

Needle Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TA1B Length 3/8", Super Fine Wire



TA2B Length 3/8", Fine Wire




TA9B Length 3/8", Regular Wire



TA3B Length 3/8", Regular Needle



TF1B Length 1/2", Broad Needle



TA8B Vari-Tip™ Microdissection™ Needle (comes with additional wire and has an adjustable depth)



T133B Pin Electrode
1/8" Length

Round Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TBBB 5/32" Dia. Round Loop, Fine Wire



TB1B 1/4" Dia. Round Loop, Fine Wire



TB4B 1/4" Dia. Round Loop, Regular Wire



TB9B 19/64" Dia. Round Loop, Fine Wire



TB10B 19/64" Dia. Round Loop, Regular Wire



TB2B 3/8" Dia. Round Loop, Fine Wire



TB5B 3/8" Dia. Round Loop, Regular Wire



TB3B 1/2" Dia. Round Loop, Fine Wire



TB6B 1/2" Dia. Round Loop, Regular Wire

**Electrodes are displayed in actual size.*

Needle Electrodes are commonly used for incisions and excisions in precise surgical procedures.

Choice of Wire Gauge

- Super Fine - Used when minimal tissue alteration is desired. (0.004")
- Fine - Used when less tissue alteration is desired. (0.007")
- Regular - Used to produce more coagulation. (0.009")

Round Loop Electrodes are commonly used for shaving lesions, contouring tissue and obtaining biopsy specimens.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF REUSABLE ELECTRODES

Reusable Electrodes

Diamond Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TC1B 1/8" Diamond Loop, Fine Wire

TC4B 1/8" Diamond Loop, Regular Wire



TC3B 3/16" Diamond Loop, Fine Wire

TC6B 3/16" Diamond Loop, Regular Wire



TC17B 1/4" Diamond Loop, Fine Wire

TC18B 1/4" Diamond Loop, Regular Wire



TC19B 5/16" Diamond Loop, Fine Wire

TC20B 5/16" Diamond Loop, Regular Wire



TC21B 7/16" Diamond Loop, Fine Wire

TC22B 7/16" Diamond Loop, Regular Wire

Triangle Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TC9B 5/32" Triangle Loop, Fine Wire

TC10B 5/32" Triangle Loop, Regular Wire



TC7B 1/4" Triangle Loop, Fine Wire

TC8B 1/4" Triangle Loop, Regular Wire



TC11B 19/64" Triangle Loop, Fine Wire

TC12B 19/64" Triangle Loop, Regular Wire



TC13B 3/8" Triangle Loop, Fine Wire

TC14B 3/8" Triangle Loop, Regular Wire



TC15B 1/2" Triangle Loop, Fine Wire

TC16B 1/2" Triangle Loop, Regular Wire

**Electrodes are displayed in actual size.*

Diamond Loop Electrodes

are commonly used for

one-stroke elliptical incisions.

Triangle Loop Electrodes

are commonly used for

shaving lesions and

contouring tissue.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF REUSABLE ELECTRODES

Reusable Electrodes

Ball Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TD3B 2mm Ball



TD8B 2.36mm Ball



TD9B 3.17mm Ball



TD10B 4.34mm Ball



TD11B 4.75mm Ball

Oval Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TP1B 5/32" Oval Loop, Fine Wire



TP2B 5/32" Oval Loop, Regular Wire



TP3B 1/4" Oval Loop, Fine Wire



TP4B 1/4" Oval Loop, Regular Wire



TP5B 19/64" Oval Loop, Fine Wire



TP6B 19/64" Oval Loop, Regular Wire



TP7B 3/8" Oval Loop, Fine Wire



TP8B 3/8" Oval Loop, Regular Wire



TP9B 1/2" Oval Loop, Fine Wire



TP10B 1/2" Oval Loop, Regular Wire

**Electrodes are displayed in actual size.*

Ball Electrodes are commonly used for coagulation.

Oval Loop Electrodes are commonly used for shaving lesions and contouring tissue.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

RF REUSABLE ELECTRODES

Reusable Electrodes

Scalpel Electrode*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TE1B 3/16" Scalpel, 45° Angle


TE2B 3/8" Scalpel

TE3B 1" Scalpel

Empire® MicroTip Electrodes*

Reusable


2mm exposed tip (2 pcs, one of each)



TEE227 Empire MicroTip Needles
one .010" wire, one .020" wire
Insulated Coated (clear teflon)
Needle Set; 2mm exposed tips

Insulated Needle Electrodes™*

Reusable, 1/2mm exposed tip



D7 Insulated Coated Needle Set
(3 pcs)

D6A Fine Insulated Coated Needle
.004" Super Fine, White, (1 pc)

D6B Fine Insulated Coated Needle
.007" Fine, Purple, (1 pc)

D6C Fine Insulated Coated Needle
.009" Regular, Orange, (1 pc)

Rhinophyma Electrode Set

EE234 Set of 3

Reusable



EE233 19/64" Triangle Loop, (1 pc)

EE232 1/8" Triangle Loop, (1 pc)

EE231 1/2" Triangle Loop, (1 pc)

**Electrodes are displayed in actual size.*

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com


Scalpel Electrodes are

commonly used for incisions
and excision of tissue. The

blade shape provides broader
coagulation than a needle
electrode.

Empire® MicroTip Needles are
tapered and have a pinpoint
design which produces
micro-smooth cutting and
coagulation while creating
less tissue alteration.

Insulated Needle Electrodes
are used for the treatment of
Telangiectasia and for epilation.



Rhinophyma

RF REUSABLE ELECTRODES

Reusable Electrodes

Javate Endoscopic DCR Electrodes*


R6 Javate Endoscopic DCR Set of 7 Assorted Electrodes



**Electrodes are displayed in actual size.*

Mucotome Electrodes*

H140 Mucotome Electrode Set of 1/16" Shaft
Reusable
Set of 3 electrodes, includes H141, H142 & H143
Used for excision of mucosal strip



**Electrodes are displayed in actual size.*

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com


RF REUSABLE ELECTRODES*

ACe-Tip™ Advanced Composition Alloy


TNAEE286 HLTZ Tonsillotomy Set of 3 ACe-Tip™ electrodes
Includes one each of: TNAEE284, TNAEE285, TNAEE287



TNAEE284 HLTZ Tonsillotomy, ACe-Tip™,
15mm Loop, .010 wire, 1/16" shaft (2 pcs)



TNAEE285 HLTZ Tonsillotomy, ACe-Tip™,
12mm Loop, .010 wire, 1/16" shaft (2 pcs)



TNAEE287 1cm Needle, 3" Curved Sleeve ACe-Tip™, 1/16" shaft (2 pcs)



TNA9B 3/8" Length
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



TNAD3B 2mm Coagulating Ball
ACe-Tip™ 1/16" shaft (2 pcs)



TNATB3B 3mm Tapered Ball
ACe-Tip™ 1/16" shaft (2 pcs)



TNAD13B 5mm Tapered Ball
ACe-Tip™ 1/16" shaft (2 pcs)



TNAB1B 1/4" Round Loop
ACe-Tip™ Fine Wire 1/16" shaft (2 pcs)



TNAB4B 1/4" Round Loop
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



TNAB2B 3/8" Round Loop
ACe-Tip™ Fine Wire 1/16" shaft (2 pcs)



TNAB5B 3/8" Round Loop
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



TNAAB8 Vari-Tip™
ACe-Tip™ 1/16" shaft (2 pcs)
(comes with additional wire and has
an adjustable depth)



TNAEE305 Empire microIncision™
Needle ACe-Tip™ 1/16" shaft (2 pcs)



TNAEE330 Chedly Puctal Occlusion (CPO) Electrodes
Reusable set of two ACe-Tip™ Electrodes

ACe-Tip™ Technology
Advantages:*

- Minimal adherence of tissue
- Low absorption
- Tissue preservation

The **ellman® ACe-Tip™** electrodes are designed to reduce resistance/impedance which causes less undesired lateral heat compared to tungsten steel electrodes.

A 45% reduction in the zone of hyalinization has been demonstrated.†

ACe-Tip™ electrodes glide smoothly through tissues and are excellent for sculpting and tissue shaping.

For orders and/or pricing information, please call **ellman®** at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

*Data on file.
FDA Submission Packet
510 (k) K071343
†Porcine skin.

RF REUSABLE ELECTRODES

Electrodes Sets

Note: (See pg. 33 for Disposable Sets)

Rodin® Microsurgery ACe-Tip™ Electrode Set

RACE7

Reusable

1.5" shaft length, 1/16" dia., Bendable Assortment (7 pcs)

Includes one each of:

TREE305, TRA2B, TRA8B, TRD3B, TRBBB, TRC3B, TRB1B



*Standard Electrode Set

S10B

Reusable


1/16" shaft size or 3/32" Use "Q" as a prefix when ordering 3/32" shaft size

Assortment (7 pcs) Includes one each of: C7B, B1B, C3B, A3B, D8B, F1B, A8B

*Also available:

S12B include 1 of each electrode (F1B A2B A3B C3B D8 BB B1 A8)

S13B include 1 of each electrode (F1B A2B A3B C3B D8B B2B A8B D8B/4)



Assorted Needle Electrode Set

XA (Formerly XAFB)

Includes one each of: A1, A2, A9, A3, F1 (5 pcs)



Assorted Round Loop Electrode Set

XB (Formerly XBFB)

Fine Wire

Includes one each of: B3, B2, B9, B1, BB

XBRB

Regular Wire

Includes one each of: B6, B5, B10, B4, BB (5 pcs)



For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

Electrodes Sets

Assorted Diamond Loop Electrode Set

XC (Formerly XCFB)

Fine Wire

Includes one each of: C21, C19, C17, C3, C1

XCRB Regular Wire

Includes one each of: C22, C20, C18, C6, C4
(5 pcs)



Assorted Ball Electrode Set

XD

Includes one each of: D11, D10, D9, D8, D3
(5 pcs)



Assorted Oval Loop Electrode Set

XP (Formerly XPFB)

Fine Wire

Includes one each of: P9, P7, P5, P3, P1

XPRB

Regular Wire

Includes one each of: P10, P8, P6, P4, P2
(5 pcs)



Assorted Triangle Loops Electrode Set

XT (Formerly XTFB)

Fine Wire

Includes one each of: C15, C13, C11, C9, C7

XTRB

Regular Wire

Includes one each of: C16, C14, C12, C10, C8
(5 pcs)



RF REUSABLE ELECTRODES

Electrodes Accessories

Electrode Protector Stand™

H66

Electrode Protector Stand™

For regular 2" standard electrodes


Holds 12 electrodes, 6 1/16" x 6 3/32"
(1 pc)

H66A

Electrode Protector Stand™

For large 4" long electrodes

Holds 12 electrodes, 6 1/16" x 6 3/32"
(1 pc)



Electrode Block™

H1

Electrode Block™

Holds 18, 1/16" Electrodes
(1 pc)

H1A

Electrode Block™

Holds 9, 1/16" Electrodes and
9, 3/32" Electrodes
(1 pc)

QH1

Electrode Block™

Holds 18, 3/32" Electrodes
(1 pc)



The **ellman**® Electrode

Protector Stand™ protects
your electrodes from damage
and breakage during the
sterilization process.

The **ellman**® Electrode

Protector Stand™ will stand
on any flat surface for easy
identification and access to
each electrode.

EDUCATIONAL MATERIALS

Educational Accessories

Patient Education Brochures




Pellevé®
Patient Ed
CC09107
(50 pcs)
(8 Page)




Cosmetic
Eye Surgery
CC09076
(50 pcs)
(4 Page)



Facial Veins
CC09116
(50 pcs)
(4 Page)



Remove
Unsightly Skin
CC09025
(50 pcs)
(4 Page)




Treatment
of Snoring
CC10021
(50 pcs)
(4 Page)

Pellevé® Office Pull Up Banners (39.4" Wide X 79" Tall)



Pellevé® Pull Up
CC-PU-13044-1



Pellevé® Pull Up
CC-PU-13044-2




Pellevé® Pull Up
CC-PU-13046



Pellevé® Pull Up
CC-PU-13043

Pellevé® Marketing Kits, Pellevé® Before & After Books and Poster



Pellevé® Marking Kit
CC-PMK-13081 (US version)
and
Pellevé® Marking Kit
CC-PMK-13082 (OUS version)



Pellevé® Before & After Book
CC-BA-13065 (US version)
and
Pellevé® Before & After Book
CC-BA-13066 (OUS version)



Pellevé® Poster
(17" Wide X 26" Tall)
CC-PO-13090

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

SMOKE EVACUATION SYSTEM

Device/Accessories



Cart

H157

The elegantly designed H157 Cart includes 2 shelves for accessories, a gooseneck flexible arm, and a convenient front handle for micro positioning. Four rugged caster wheels ensure easy mobility from room to room.

(Shown with Pellevé® S5 Generator, Surg-e®-Vac™, and accessories.-Not included)

NOTE: H157 Cart not compatible with AcuSect, RadioLase or EMC generators.



Surg-e®-Vac™

SVD110 Surg-e®-Vac™ (for 110v countries)

SVD220EU Surg-e®-Vac™ (for 220v countries)



SurgiCart™

H156

SurgiCart™ III with extended base, instrument tray with gooseneck arm, adjustable height. (Shown with Surgitron EMC RF Generator and accessories – Not included)



Vac Assist Stand

W133

The Surg-e®-Vac™ Smoke Evacuation System has been designed with a high suction, high flow rate centrifugal action pump. The ultra-quiet motor is used to draw the surgical smoke from the surgical site through the vacuum tubing and into the Quad Filter™ where the surgical smoke is processed by a series of filters.

NOTE: H156 not compatible with S5 generators.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

SMOKE EVACUATION SYSTEM

Accessories

Surg-e®-Vac™ Accessories

The accessories below are used only for Surg-e®-Vac™

Surg-e®-Vac™
Quadrant
Filter
SVF1 (3 pcs)
SVXF1 (12 pcs)



Pneumatic
Footswitch
SVFSC
(10-1/2 Ft. Cable)
(1 pc)



For both Surg-e®-Vac™ and Vapor-Vac II™ Accessories

Plastic Hose **VV148** for
Surg-e®-Vac™ or
VV127 for Vapor-Vac II™
(includes **VV121** Adapter)



Speculum Tubing
Reducing Package
VV130 includes
(2 pcs) VV128
(2 pcs) VV129



Saf-T-Wand
VV140
(10 pcs)



Speculum Tubing
Reducer Fitting
VV129
(2 pcs)



Speculum Tubing
VV128
1/4" Autoclavable
(2 pcs)




External Tube
VV121
(3 pcs)



Vapor-Vac II™ Accessories

These accessories below are used only for Vapor-Vac II™

Charcoal
Filter
VC123
(2 pcs)



External
Filter
VF124
(10 pcs)



Saf-T-Wand
Filter Set
VV146
(25 pcs)



Disposable
External Filter
VV139
(25 pcs)



Vapor-Vac™
Wand Clip
VV131
(1 pc)



MULTI-SPECIALTY ACCESSORIES

Accessories

Medi-Frig™

Portable Cryosurgery Skin Refrigerant

H11B

1 280g. can, 10 Straw Applicators

XH11B

6 cans, 60 Straw Applicators

H11BCS


25 cans, 250 Straw Applicators



Wipe-Its™

H19

Pressure sensitive sandpaper pads
used to clean radiosurgical electrode tips
(4 pcs)



Medi-Frig™ is a portable, hand-held, cryosurgical spray unit containing tetrafluoroethane (-54°C).

The ellman® cryosurgical spray is safe, storable, easily transportable and cost-effective compared to traditional liquid nitrogen. An added advantage is that it is nonflammable and can be used in conjunction with radiosurgical, electrosurgical and laser procedures.

Wipe-Its™ are easy to use, for effortless removal of tissue from radiosurgery tips.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology



3" Length Handpiece with Patented Locking Chuck

IEC-XLP1

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

3" Length, Accepts 1/16" and 3/32" shaft,
for Laparoscopy and Micro-Larynx probes (2 pcs)

XLP1

Reusable

For the EMC Device

3" Length, Accepts 1/16" and 3/32" shaft,
for Laparoscopy and Micro-Larynx probes (2 pcs)



Micro-Larynx™ RF Probes

IEC-EE275A

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

1/16" shaft, 240mm long, (3 pcs); includes IEC-LP1, 3 inch Handpiece




Magnified view

Loop

EE276

1/16" shaft, 240mm long
(1 pc)




Magnified view

Needle

EE277

1/16" shaft, 240mm long
(1 pc)




Magnified view

Ball

EE278A

1/16" shaft, 240mm long
(1 pc)



The Patented Micro-Larynx™ Probe allows quick and efficient coagulation, and can be used for Granulomas, Papillomatosis, Cyst Biopsies, Vocal Cord Polyps, Posterior Cordectomy, Glottic and Sub-glottic Angiomas, Laryngeal Tumor and Laryngeal Biopsies.

EE275A for EMC Device

1/16" shaft, 240mm long (3pcs); includes LP1, 3 inch handpiece

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

OTO-RAM™ Radiofrequency Assisted Myringotomy Set

IEC-EE600

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

Two 4" tubes, 1.5mm and 2.0mm and one Myringotomy Handpiece

IEC-H604


Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

RF Assisted Myringotomy Handpiece (1 pc)

EE600 and H604 and for EMC Devices


The OTO-RAM™ allows for an effective treatment where office or clinical procedures take place in only a few minutes. Costs for OR Surgery and extensive use of antibiotics and general anesthesia are greatly reduced. The OTO-RAM™ is cost effective compared to laser assisted myringotomy.



2mm hole



2mm hole
Tympanic membrane



OTO-Ram
Probe Tip

OTO-RAM™ Probes

EE601

Reusable

1.5mm Orifice

(1 pc)




EE602

Reusable

2.0mm Orifice

(1 pc)



TEE230

Reusable

Insulated 3.8cm and exposed 5mm

(2 pcs)



For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com


MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

Clear-Vu® Bayonet Electrodes

Sterile/Single-Use, (13cm Long Shaft), (1 pc)

1/16" shaft size, 3/32" shaft size available, order with a "Q" prefix



Bayonet RF Turbinate Volume Reduction Electrode™

Reusable

Bipolar Turbinate Probe and cord (1 pc)

Tips Insulated ~1.9cm and Exposed ~2.4cm

IEC-I6D

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

I6/JXE

For EMC Device



The bayonet design of Clear-Vu® Electrodes provides access to the surgical environment for precise tissue interaction while maintaining a 'clear view' during the procedure.

The assorted tip configurations allows for precise surgical treatment.



The Bayonet Turbinate Electrode and Bipolar Handpiece design includes a pencil grip for easy handling with a bayonet needle for easy intranasal visualization during surgery.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

RAUP Electrode™

H81A1


Sterile/Single-Use
RAUP Radiosurgically Assisted
Uvulopalatoplasty
(2 pcs)



Sub-Mucosal VTR (UPP) Electrode

TEE229A


Sterile/Single-Use
For volumetric reduction
of redundant tissue
1cm insulated, 1 cm exposed
(2 pcs)



Tongue Base Reduction Electrode™

TEE605

Sterile/Single-Use,
For volumetric reduction
of redundant tissue
(2 pcs)



Adenoid RF Electrode™

TEE228

Reusable
1/4" Triangle, 4" Length, Teflon Insulated
(2 pcs)




HLTZ Tonsillotomy Electrode™

TEE284


Reusable
.010 Wire, 15mm Loop
(2 pcs)



Uvulopalatoplasty (RAUP)



Submucosal Stiffening



Tongue Base Procedure

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology



Suction Adenoid Probes

IEC-H85

Reusable

Set of 3 Probes, Quick-Connect™ Cable, and Cleaning Brush
(See pg. 11 for Quick-Connect™ Cable)



IEC-H86 Small Probe

9mm with Quick-Connect™ Cable, (1 pc)



IEC-H87 Medium Probe

15mm with Quick-Connect™ Cable, (1 pc)



IEC-H88 Large Probe

19mm with Quick-Connect™ Cable, (1 pc)


Cleaning Brush for Suction Probe

H89

(3 pcs)



Magnified view



Suction Tonsillectomy Probe™

and Quick-Connect™ Cable (See pg. 11 for Quick-Connect™ Cable)

IEC-H83/SP

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

H83/SP

For EMC Device



Bipolar Tonsil Reduction Probe™ and Quick-Connect™ Cable

IEC-H84

(See pg. 11 for Quick-Connect™ Cable)

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices

H84

For EMC Device

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

Suction Coagulator™

HD41

Sterile/Single-Use

For use with Quick-Connect™ Cable, (12 pcs)
(see page 11 for Quick-Connect™ Cable)



Magnified view




Angled Suction Coagulator™


HD42

Sterile/Single-Use

For use with Quick-Connect™ Cable, (12 pcs)
(see page 11 for Quick-Connect™ Cable)



Magnified view



Suction Coagulation Kit

Reusable

IEC-H40

Shipped with three 3" and three 6" tubes
For Surgitron® Dual RF™, S5, AcuSect™ and
Radiolase® 3 Devices
Includes 1/16", 3/32" and 1/8" Orifice sizes

H40

Shipped with three 3" and three 6" tubes
For EMC Device. Includes 1/16", 3/32"
and 1/8" Orifice sizes



Stylus Round Wire



H44 Suction Tube 6" Long, 1/16" Orifice



H45 Suction Tube 6" Long, 3/32" Orifice



H46 Suction Tube 6" Long, 1/8" Orifice



H47 Suction Tube 3-3/4" Long, 1/16" Orifice



H48 Suction Tube 3-3/4" Long, 3/32" Orifice



H49 Suction Tube 3-3/4" Long, 1/8" Orifice

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES


Otorhinolaryngology

RF Assisted Tonsillotomy (RAT) Ball Electrodes™

EE264 Set of 3


Reusable

TEE261 2.0mm Ball 4" long (2 pcs)




Magnified view

TEE262 2.36mm Ball 4" long (2 pcs)



Magnified view

TEE263 3.17mm Ball 4" long (2 pcs)




Magnified view

Cryptolysis Electrode

TE1022B

Reusable

(2 pcs)



An RF cryptolysis probe comprises a generally elongated insulated structure leading to a distal end that is angled downward and terminates in a narrow tip that is exposed. The exposed tip is inserted into tonsillar crypts and activated.

Polyp Snare™ System for Nasal Polyps

IEC-H301

Reusable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices with Snare Cable and 3 wires

H301

For EMC Device with Snare Cable and 3 wires

H7A Snare Wires


6 wires

H7B Snare Cable


For EMC Device (1 pc)

IEC-H7B Snare Cable

For Surgitron® Dual RF™, S5, AcuSect™ and RadioLase® Devices (1 pc)



The Ball Tonsil Probe is an advancement over the traditional tonsillotomy. The RAT procedure permits controlled reduction of the tonsil without excessive thermal damage or blood loss.



Cryptolysis

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

General Surgery/Proctology

Laparoscopic Handpiece


IEC-XLP1

Reusable (2 per pack)

3" Length Handpiece.

Accepts 1/16" and 3/32" shafts

For Surgitron® Dual RF™, S5, AcuSect™ and
RadioLase® Devices (1 pc)




IEC-LP1

Reusable (1 ea)

Laparoscopic Electrodes™


Reusable

Lap-Trode Individual Electrodes, 37.5cm Length Electrodes, 1/16" Shaft



Magnified view

L3 2mm Ball Lap-Trode



Magnified view

L4 9.5mm Needle Lap-Trode




Magnified view

L5 2.3mm Hook Lap-Trode



Magnified view

L6 2.3mm Blade Lap-Trode



Magnified view

L8 Hook Needle Lap-Trode



Laparoscopic Electrodes™ Set

L7

Reusable

Lap-Trode Set of 5 Assortment, (L3, L4, L5, L6, L7, L8) 37.5cm Length Electrodes, 1/16" Shaft

MULTI-SPECIALTY ACCESSORIES

Gynecology

LLETZ Electrodes Assortment Set






- W4** One of each in 5 styles, reusable (5 pcs)
W4D One of each in 5 styles, Sterile/Single-Use (5 pcs)

LLETZ Individual Electrodes

Available in 1/16" or 3/32"

Use "Q" as a prefix when ordering 3/32" shaft size

Use "D" as a suffix when ordering Sterile/Single-Use Versions of the LLETZ loop electrodes.

- | | | |
|-------------|--|--|
| W1 | 15mm x 10mm Loop, reusable (1 pc) |  |
| W1D | 15mm x 10mm Loop, Sterile/Single-Use (5 pcs) | |
| W2 | 20mm x 10mm Loop, reusable (1 pc) |  |
| W2D | 20mm x 10mm Loop, Sterile/Single-Use (5 pcs) | |
| W3 | 25mm x 10mm Loop, reusable (1 pc) |  |
| W3D | 25mm x 10mm Loop, Sterile/Single-Use (5 pcs) | |
| F2 | Endo-Cervical Box 8mm x 11mm Box, reusable (1 pc) |  |
| F2D | Endo-Cervical Box 8mm x 11mm Box, Sterile/Single-Use (5 pcs) | |
| W18 | 5mm Ball, reusable (1 pc) |  |
| W18D | 5mm Ball, Sterile/Single-Use (5 pcs) | |

Conization Electrode™

Reusable

- G1** Conization Electrode
G1/4 4" long, Rotated at 360° to provide a cone shaped specimen







Standard Electrode Set

S10B/4 4" shaft length, (7pcs) see page 33 for more information

External Genital Lesion RF Electrodes™

Reusable

- W15** Complete Set of Genital Lesion Electrode set of 4, includes W16, W17, W18 and W19 Electrodes
- | | | |
|------------|--------------------------|--|
| W16 | 90mm Length, Angled Box |  |
| W17 | 4mm Length, Box |  |
| W18 | 90mm Length, 5mm Ball |  |
| W19 | 90mm Length, 3/8" Needle |  |

For orders and/or pricing information, please call ellman® at: (800) 835-5355
 (516) 594-3333 • fax (516) 279-4483 • www.ellman.com

The **ellman®** LLETZ loop electrodes are used for the diagnosis and treatment of cervical intraepithelial neoplasia (CIN) and dysplasia.

MULTI-SPECIALTY ACCESSORIES

Gynecology

LLETZ Bayonet Electrodes

- W35** LLETZ Bayonet Electrode Set (5 pcs)
Reusable. Use "D" as a suffix when ordering Sterile/Single-Use
- W35D** Sterile/Single-Use (5 pcs)
- W32** Reusable
Bayonet, 25mm Loop (1 pc)
- W32D** Sterile/Single-Use (5 pcs)
- W31** Reusable
Bayonet, 20mm Loop (1 pc)
- W31D** Sterile/Single-Use (5 pcs)
- W30** Reusable
Bayonet, 15mm Loop (1 pc)
- W30D** Sterile/Single-Use (5 pcs)
- W34** Reusable
Bayonette, 5mm Ball (1 pc)
- W34D** Sterile/Single-Use (5 pcs)
- W33** Reusable
Endo-Cervical Bayonet,
8mm Box (1 pc)
- W33D** Sterile/Single-Use (5 pcs)



Vaginal Speculums

- H55** Vaginal Speculum - Large, 5" Length
- H57** Vaginal Speculum - Standard, 4 1/2" Length
- H58** Vaginal Speculum (2 pcs - Large and Standard)




Vaginal Lateral Wall Retractor

H69



Needle Extender/Measured Dose Syringe

H71




For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Plastic Surgery

Javate/Khan RF Endoscopic Forehead Suction Probe™

Reusable




Javate/Khan Endo Forehead Suction Set IEC-EE260

Reusable

Includes 2 probes, one Spade, one Scalpel with Suction Handpiece and Cable for Surgitron® 4.0 Dual RF™ and S5 Devices

EE260

For EMC Device




The Javate/Khan Endoscopic Forehead Suction Probe™ utilizes a combination of suction and radiofrequency cutting.

Javate/Khan Coated Flat Scalpel Suction Probe

EE257

Reusable

7/16" Tip Diameter (1 pc)



Magnified view



Javate/Khan Coated Spade Suction Probe

EE258

Reusable

7/16" Tip Diameter (1 pc)



Magnified view



For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Plastic Surgery

Patented Dr. Constantin Stan Monopolar Forceps



Micro Stan RF™ Forceps

IEC-MJ21

Reusable

Suggested for Blepharoplasty and Facelift procedures

3.5" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® Dual RF™ and S5 Devices

MJ21

For EMC Device



Mini Mono Stan RF™ Forceps

IEC-MJ11/M

Reusable

Monopolar Forceps with Cutting, Coagulation, Irrigation and Suction Port

Suggested for Facelifts


4.875" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® Dual RF™ and S5 Devices

MJ11/M

For EMC Device



Mono Stan RF™ Forceps

IEC-MJ11

Reusable

Monopolar Forceps with Cutting, Coagulation, Irrigation and Suction Port

Suggested for Breast Augmentation Procedures

6.125" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® Dual RF™ and S5 Devices

MJ11

For EMC Device

The **ellman®** Micro, Mini and Mono Stan Forceps simultaneously dissect and coagulate tissues using the 4.0 MHz radiofrequency.



Facelift

The insides of tips on the Mini Mono and Mono Stan Forceps are serrated.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Dermatology

Cosmetic Treatment Package

For treating telangiectasia and epilation of hair follicles

H135A For EMC Device

IEC-H135A For S5, Surgitron® Dual RF™, AcuSect™ and RadioLase® Devices

Package Includes: One MicroInsulated Needle Handpiece, 50 MicroInsulated Sterile Needles and 50 Patient Education Brochures

XH136 MicroInsulated Needle Handpiece™ For EMC Device (2 pcs)

IEC-XH136 MicroInsulated Needle Handpiece™ For S5, Surgitron® Dual RF™, AcuSect and RadioLase Devices (2 pcs)

H137 MicroInsulated Sterile Needles (50 pcs)

H1375 MicroInsulated Sterile Needles bulk pkg (250 pcs)

CC09116 Patient Education Brochure: FAQ's Facial Veins (50 pcs)



Dermatology Electrode Assortment Set

DDERM40

Assorted, Sterile/Single-Use Electrodes, 1/16" shaft (4 electrode styles)



Insulated Needles

D41 27 Gauge, 0.014" Diameter Needle

D42 30 Gauge, 0.012" Diameter Needle

D43 Insulated Needle Set, 27-Gauge and 30-Gauge (2 pcs, one of each)



Rhinophyma Electrode Set see page 30

Corneal Shields™ see page 55

Chedly Eyelid Retractor see page 55

The **ellman®** Cosmetic

Treatment Package is an effective, comfortable way to remove small unsightly "spider veins" with minimal recovery time, minimal scarring and immediate improvement in appearance.

With the advent of **ellman®** radiowave sclerotherapy, many small facial veins can now be treated without surgery or injections.¹



Telangiectasia Before



Telangiectasia After

1. Pfenninger, J et al, Procedures for Primary Care (2003); second Edition, p221

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Pellevé® Wrinkle Reduction System

GlideSafe® Handpieces



P275HPDU GlideSafe® 7.5mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



P210HPDU GlideSafe® 10mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



P215HPDU GlideSafe® 15mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



P220HPDU GlideSafe® 20mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



Magnified view 1.5X

† Non-USA Customers: order without the
"U" suffix (e.g.-P215HPD)

P2CBD Pellevé® Quick-Connect Cable, 2m.
For use with GlideSafe® Handpieces (6 pcs)



DHPG8 Pellevé® Treatment Gel, 8 oz



Temp 62 Fluke 62 Mini Infrared Thermometer

*GlideSafe® handpieces Patent Pending;
only compatible with Pellevé® S5 or
Surgitron® S5 energy sources.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Ophthalmology/Oculoplastics

Goisis RF Elevator ACe-Tip™

GE1

Reusable
(1 pc)



Wedge Resection Electrode Set™

EE255

Reusable
(set of three)

Wedge Resection Electrode

TEE237 1/4" tip (2 pcs)



TEE236 3/16" tip (2 pcs)



TEE235 1/8" tip (2 pcs)



Beigi Minimally Invasive Entropion Electrode

TEE603

Sterile/Single-Use
(2 pcs)



Ophthalmic Micro-Dissection Electrodes™



TA10/C1

Reusable. 2" Electrodes
1.5mm of active .004 Wire (2 pcs)

TA10/C2

Reusable. 2" Electrodes
3.0mm of active .004 Wire (2 pcs)

TA10/C3

Reusable. 2" Electrodes
5.0mm of active .004 Wire (2 pcs)

A10

Reusable
Set of two (1.5mm and 3.0mm, .004 Wire - one of each)

Note: Add/OP after the Catalog Number to order 1/2" shorter,
Ophthalmic Micro-Dissection Electrodes™ (Not available for all codes)

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com



Goisis RF Elevator ACe-Tip™

Product Benefits:

- Aesthetic midface lift easily done under local anaesthesia.
- Easier and faster orbital decompression in Basedow disease.
- Easier and faster treatment of orbital and facial traumas.
- Versatility – evisceration of the eye with a single instrument.
- Conjunctival peritomy
- Cornea excision
- Globe content removal and full-thickness sclerotomies.

MULTI-SPECIALTY ACCESSORIES

Ophthalmology/Oculoplastics

Corneal Shields™

H781

Autoclavable
Assorted Package
one pair each size,
small, medium, large and
1 suction handle



- H75A** Small - Red (1 handle, 2 pair)
- H76A** Medium - Green (1 handle, 2 pair)
- H77A** Large - Blue (1 handle, 2 pair)

- H78A** Suction Handle (2 pcs)
- H78B** Suction Handle (25 pcs)



Chedly Eyelid Retractor

H21A

Reusable
(1 pc)



Chedly Punctal Occlusion (CPO) Electrodes

TNAEE330

Reusable set of two ACE-Tip™ Electrodes



Baker Brow Probe

EE279

Reusable
(2 pcs)



The **ellman®** Corneal Shield™ tightens the skin to allow for more precise incisions. It is an excellent aid when performing periorbital surgery and aids in the protection from cautery, desiccation, irritation or trauma, during and after surgery of eyelid and orbital regions.

The Chedly Eyelid Retractor allows access for oculoplastic procedures i.e. upper and lower blepharoplasty, ptosis, trichiasis and minor eyelid procedures.

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

MULTI-SPECIALTY ACCESSORIES

Family Practice/Podiatry



ellman® Digit Tourniquets

H97 ellman® Cots – Small (12 pcs)




H98 ellman® Cots – Medium (12 pcs)



H99 ellman® Cots – Large (12 pcs)

ECOTS- 4 each small, medium and large ellman® Cots.



Ingrown Toenail

The ellman® radiosurgical nail matrixectomy technique for Ingrown Toenail allows the matrix to be destroyed electrically with a teflon coated electrode, which protects the overlying eponychium.



Insulated Matrixectomy Electrodes™*

H9 Reusable

Set of 3 electrodes

1/16" or 3/32" shaft

Matrixectomy Electrode Set

Includes one each of: H10D, H10E, H10A



H10D 2mm Matrix Electrodes
Reusable (2 pc)



H10E 4mm Matrix Spicule Electrodes
Reusable (2 pc)



H10A Matrix Spicule (Ball) Electrode
Reusable (1 pc)

**Electrodes are displayed in actual size.*

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

INDEX

Accessories	36				
Educational Accessories	35				
<i>(Educational Materials)</i>					
Laser Office Pull Up Banners	35				
Patient Educational Brochures	35				
Pellevé® Before and After Book	35				
Pellevé® Marketing Kits	35				
Pellevé® Posters	35				
Device/Accessories	36				
Cart	36				
SugiCart™	36				
Surg-e®-Vac™	36				
Vac Assist Stand	36				
Accessories	37				
<i>(Smoke Evacuation System)</i>					
Surg-e®-Vac™ Accessories					
for both Surg-e®-Vac™ and					
Vapor-Vac II™ Accessories	37				
Accessories	38				
<i>(Multi-Specialty Accessories)</i>					
Medi-Frig™	38				
Wipe-Its™	38				
ACe-Tip™ Low-Stick Forceps	20-21				
Adapters For Surgitron® EMC	13				
Bipolar Converter Steri Caps™	14				
EMC Steri Caps™	14				
Patented 1-Button Fingerswitch					
Handpiece with Locking Chuck	13				
Patented Bipolar Converter	14				
Universal Fingerswitch Adapter	13				
Wall Bracket	14				
Bayonet Bipolar Forceps	19				
Bipolar Forceps	17-18				
Cables	11				
Bipolar Cable	11				
Lap/Endo Monopolar Cable	11				
Snare Cable	11				
Quick-Connect™ Cable	11				
Dermatology	51				
Cosmetic Treatment Package	51				
Dermatology Electrode					
Assortment Set	51				
Insulated Needles	51				
Electrodes	22				
Electrodes Accessories	34				
Sterile/Single-Use	23				
Empire® microIncision™					
Needle Electrodes	24-25				
Medical Electrode Set	23				
Reusable Electrodes	26				
ACe-Tip™					
Advanced Composition Alloy	31				
Ball Electrodes	28				
Chedly Puctal Occlusion (CPO)					
Electrodes	31				
Diamond Loop Electrodes	27				
Empire® MicroTip Electrodes	29				
Insulated Needle Electrodes™	29				
Javate Endoscopic DCR					
Electrodes	30				
Needle Electrodes	26				
Oval Loop Electrodes	28				
Radiosurgical Mucotome					
Electrodes	30				
Rhinophyma Electrode Set	29				
Round Loop Electrodes	26				
Scalpel Electrode	29				
Triangle Loop Electrodes	27				
Reusable Electrodes Sets	32				
Assorted Ball Electrode Set	33				
Assorted Diamond Loop					
Electrode Set	33				
Assorted Needle Electrode Set	32				
Assorted Oval Loop Electrode Set	33				
Assorted Round Loop					
Electrode Set	32				
Assorted Triangle Loops					
Electrode Set	33				
Rodin® Microsurgery ACe-Tip™					
Electrode Set	32				
Standard Electrode Set	32				
Energy Sources	5				
AcuSect®	8				
Pellevé® S5	5				
Surgitron® Dual RF™ S5	6				
Surgitron® Dual RF™	7				
Surgitron® Dual/EMC	7				
Surgitron® FFPF EMC	8				
Family Practice/Podiatry	55				
ellman® Digit Tourniquets	55				
Insulated Matrixectomy					
Electrodes™	55				
Footswitches	10				
Dual Frequency Footswitch and					
Cable Pneumatic Footswitch	10				
Radiolase I Footswitch and Cable	10				
Radiolase 3 Monopolar/Bipolar					
Footswitch	10				
General Surgery/Proctology	46				
Laparoscopic Electrodes™	46				
Laparoscopic Handpiece	46				
Gynecology	47				
Conization Electrode™	47				
External Genital Lesion					
RF Electrodes™	47				
LLETZ Bayonet Electrodes	48				
LLETZ Electrodes Assortment Set	47				
LLETZ Individual Electrodes	47				
Monse's Solution	48				
Needle Extender/Measured					
Dose Syringe	48				
Vaginal Lateral Wall Retractor	48				
Vaginal Speculums	48				
Handpieces	15				
3" Length Handpiece with					
Patented Locking Chuck	16				
Blade Handpiece with					
Locking Chuck	16				
Foot-Controlled Handpiece with					
Locking Chuck	16				
microInsulated Needle Handpiece					
with Locking Chuck	16				
1-Button Fingerswitch					
Handpiece with Locking Chuck	15				
3-Button Fingerswitch					
Blade Handpiece with					
Locking Chuck	15				
3-Button Fingerswitch					
Handpiece with					
Locking Chuck	15				
Sterile 3-Button					
Fingerswitch Handpiece					
with Locking Chuck	15				
Rodin® Microsurgery Handpiece	16				
Neutral Plates	9				
EMC Neutral Plate	9				
IEC Neutral Plate	9				
IEC Disposable Neutral					
Plate-Small Size	9				
IEC Disposable Neutral					
Plate-Standard Size	9				
Pellevé® Wrinkle Reduction	52				
System	52				
GlideSafe® Handpieces	52				
Pellevé® Quick-Connect Cable	52				
Pellevé® Products & Accessories	52				
Ophthalmology/Oculoplastics	54				
Baker Brow Probe	55				
Beigi Minimally Invasive					
Entropion Electrode	54				
Chedly Eyelid Retractor	55				
Chedly Punctal Occlusion (CPO)					
Electrodes	55				
Corneal Shields™	55				
Goisis RF Elevator ACe-Tip™	54				
Ophthalmic Micro-Dissection					
Electrodes™	54				
Wedge Resection Electrode	54				
Wedge Resection					
Electrode Set™	54				
Otorhinolaryngology	39				
3" Length Handpiece with					
Locking Chuck	39				
Adenoid RF Electrode™	42				
Bayonet RF Turbinate Volume					
Reduction Electrode™	41				
Cleaning Brush for Suction Probe	43				
Clear-Vu® Bayonet Electrodes	41				
Cryptolysis Electrode	45				
HLTZ Tonsillotomy Electrode™	42				
Micro-Larynx™ RF Probes	39				
OTO-RAM™ Radiofrequency					
Assisted Myringotomy Set	40				
OTO-RAM™ Probes	40				
RAUP Electrode™	42				
Angled Suction Coagulator™	44				
Bipolar Tonsil Reduction Probe™					
and Quick-Connect™ Cable	43				
Myringotomy Electrode™	40				
Suction Adenoid Probes	43				
Suction Coagulator™	44				
Suction Coagulation Kit	44				
Suction Tonsillectomy Probe™					
and Quick-Connect™ Cable	43				
Tongue Base Reduction					
Electrode™	42				
Polyp Snare™ System for Nasal					
Polyps	45				
Quick-Connect™ Cable	39				
RF Assisted Tonsillotomy (RAT)					
Ball Electrodes™	45				
Sub-Mucosal VTR (UPP)					
Electrode	42				
Plastic Surgery	49				
Javate/Khan Coated Flat Scalpel	49				
Javate/Khan Coated Spade	49				
Javate/Khan Endo Forehead					
Suction Set	49				
Micro Stan RF™ Forceps	50				
Mini Mono Stan RF™ Forceps	50				
Mono Stan RF™ Forceps	50				
Surg-e®-Doc™	12				

NOTES

[illegible]

For orders and/or pricing information, please call ellman® at: (800) 835-5355
(516) 594-3333 • fax (516) 279-4483 • www.ellman.com

NOTES

[illegible]



ellman® International, Inc.

400 Karin Lane, Hicksville, N.Y. 11801 U.S.A.
(800) 835-5355 • (516) 594-3333 • Fax: (516) 279-4483
www.ellman.com

CC13156 Rev B

Copyright 2013 ellman® International, Inc. All Rights Reserved.

Note: Do not copy or distribute without written authorization from Ellman International Inc.

